

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:06
L2	35	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:06
L3	60	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 adj2 (characteristic\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:07
L4	1	(control\$5 near4 dot\$5 near4 connectivit\$5) same (characteristic\$5 parameter\$5 reproducibilit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:07
L5	5	((("5696853") or ("6031627")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 14:07
L6	41	(dot\$5 near4 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:08
L7	1245	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 with connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:08
L8	1245	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 with connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:10

EAST Search History

L9	480	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 near6 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:11
L10	84	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) near4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:11
L11	154	(connectivit\$5 adj2 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:14
L12	0	(connectivit\$5 adj2 parameter\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:14
L13	7	(connectivit\$5 with binar\$5 adj3 image\$2) same characteristic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:14
L14	50	(connectivit\$5 adj2 parameter\$5) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:15
L15	50	(connectivit\$5 adj2 parameter\$5) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:15
L16	1	(half adj2 tone\$5 adj3 (connectivit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:15
L17	60	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 adj2 (characteristic\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:16

EAST Search History

L18	480	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 near6 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:19
L19	1	control\$5 with dot\$5 adj4 connectivit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:19
L20	124	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with control\$5 with dot\$2 with (characteristic\$5 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:19
L21	124	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with control\$5 with dot\$2 with (characteristic\$5 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:19
L22	47	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) adj4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:26
L23	84	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) near4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:26
L24	822	dot\$1 adj2 (parameter\$5 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:26
L25	2	(control\$5 near4 dot\$5 near4 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:29

EAST Search History

L26	0	(dot\$2 near4 connectivit\$5 near4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:29
L27	1	(half adj2 tone\$5 adj3 (connectivit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:29
L28	10	(binar\$5 with dot\$5 adj2 (parameter\$5 characteristic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:30
L29	9	dot\$1 adj2 (connectivit\$5 isolat\$5) with (parameter\$5 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:30
L30	3	(dot\$2 adj2 inter adj2 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:30
L31	2	(dot\$2 adj2 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:51
L32	2	(dot\$2 adj2 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:51
L33	3	connectivit\$5 same binar\$5 adj3 image\$2 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:51
L34	0	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj2 connectiv\$5 adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59

EAST Search History

L35	35	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L36	921	(control\$5 adj4 print\$5 adj2 dot\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L37	3	(dot\$2 with connectivit\$5 with parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L38	399	(print\$5 adj2 dot\$2) with (characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L39	154	(connectivit\$5 adj2 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L40	0	(connectivit\$5 adj2 parameter\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:59
L41	3	(dot\$2 with connectivit\$5 with parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:04
L42	50	(connectivit\$5 adj2 parameter\$5) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:04
L43	30	(connectivit\$5 adj4 binar\$5 adj3 image\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:04

EAST Search History

L44	10	(control\$5 adj4 print\$5 adj2 dot\$2) with (characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:22
L45	6	("5166986").URPN.	USPAT	OR	ON	2006/06/19 15:23
L46	7	(connectivit\$5 with binar\$5 adj3 image\$2) same characteristic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:23
L47	778	connectivit\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:23
L48	16	connectivit\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5) and (binary\$5 adj2 image\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:23
L49	9	connectivit\$5 same binar\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:23
L50	99	connectivit\$5 with (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) with (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:26
L51	7	(connectivit\$5 with binar\$5 adj3 image\$2) same (characteristic\$5 profile\$5 printer adj2 attribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:26
L52	3	connectivit\$5 same binar\$5 adj3 image\$2 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:26

EAST Search History

L53	0	(KABURAGI near4 HIROSHI and SHONO near4 SEITA).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:27
L54	104	(KABURAGI near4 HIROSHI SHONO near4 SEITA).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:27
L55	17684	(358/1.1, 358/1.9, 358/1.11, 358/1.12-1.16, 358/1.18, 382/172, 382/466, 382/50).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:28
L56	0	(dot with connectivit\$5 same characteristic\$5 with information\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 16:01
L57	2	(dot with connectivit\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 16:01
L58	5	(dot same connectivit\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 16:01
L59	106	(connectivit\$5 with parameter\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 16:01
L60	1	(connectivit\$5 with parameter\$5 same binar\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 16:01